## අර(ර (න්ස් මි ANDHRA PRADESH

## ANDHRA PRADESH POLLUTION CONTROL BOARD

D.No.33-26-14 D/2, Near Sunrise Hospital, Pushpa Hotel Centre, Chalamavari Street, Kasturibaipet, Vijayawada - 520010

## AUTO RENEWAL OF CONSENT AND AUTHORIZATION ORDER FOR OPERATIONS 396

In response to your application dated 19.11.2017 for Auto Renewal of Consent for operation and Authorisation Order, the Board is hereby extending validity period of Consent and Authorisation order issued vide order No. APPCB/KNL/TPT/75/HO/CFO/2017 dt.08.08.2017 with valid upto 31.03.2018, for further period of 5 (FIVE) years i.e., upto 31.03.2023 under sections 25/26 of the Water (Prevention and Control of Pollution) Act, 1974 and 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Authorisation under Rule 6 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 with the following additional conditions:

- 1. All other conditions mentioned in Schedules A, B & C of the CFO&HWA order issued by the Board vide order dated 08.08.2017 remain same.
- 2. The industry shall comply with the standards notified by MoEF&CC/CPCB from time to time.
- 3. The industry shall submit the compliance report to the Board every six months i.e. on 1st of January and 1st of July on the conditions stipulated in the CFO order.
- 4. In case of false certification, non compliance of conditions / directions and discrepancy in furnishing the information by the industry, the Board can withdraw the auto renewed consent and take action under provisions of relevant Acts & Rules.

Sd/-MEMBER SECRETARY

Dated:09.01.2018

To

The Occupier

M/s.Zuari Cements Ltd.,

Krishna Nagar, Yerraguntla

Kadapa District – 516 311.

e-mail: y.madhayareddy@zcltd.com

## Copy to:

- 1. The JCEE, Zonal Office, Kurnool for information and necessary action.
- 2. The Environmental Engineer, Regional Office, Tirupati for information and necessary action.

JOINT CHIEF ENVIONMENTAL ENGINEER
(UNIT HEAD - IV)